











30/45  
(B 45)

4  
PmB 45  
25/55-55



4 PmB 45  
25/55-55



As  
5000

Warning  
Potential  
Hazardous  
at Water Level









ANN





TRINIDAD  
NAF

























AMMANN

AMMANN









Materialauslauf  
Material outlet  
L2

Materialeinlauf  
Material inlet  
L1

	L1 (mm)	L2 (mm)
<input type="checkbox"/> VA 1230	2300	2300
<input type="checkbox"/> VA 1536	2600	2600
<input type="checkbox"/> VA 1832	2000	2000
<input type="checkbox"/> VA 1840	2800	2800
<input checked="" type="checkbox"/> VA 2050	3600	4500
<input type="checkbox"/> VA 2060	4700	5800
<input type="checkbox"/> APS 5.2 E	3000	3700
<input type="checkbox"/> APS 6.2 E	3600	4400
<input type="checkbox"/> APS 5.2 NG	3600	3600
<input type="checkbox"/> APS 6.2 NG	4800	4600

**AMMANN**  
 QUALITY CONTROL  
 PASSED  
 8259





Lichte Höhe 3,8m

Füllinhalt  
400 t  
bei 1,8 t/m<sup>3</sup>



Ulrich  
Flensburg  
Seit 1952



3



2

















Sek. 2

Sek. 1



weishaupt



WELTYCOMB...  
...  
...  
...